


CLARA VALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
 Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
 Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250


MNG. Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250

MNG Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1

SCALE 1:250




NORTH

MNG. Ref: 98917lip-012a Date: 04/04/2023


Depicted information subject to approvals and survey.
All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250


MNG. Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250

MNG Ref: 98917lip-012a Date: 04/04/2023
 Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

- WATER
- WATER METER/ VALVE / HYDRANT
- SEWER
- DRAINAGE
- NBN CONNECTION
- POWER DOME - MINI PILLAR
- POWER DOME - UNIVERSAL PILLAR
- STREETLIGHTS
- PADMOUNT SITE
- RETAINING WALL & HEIGHT
- CANTILEVER RETAINING WALL & HEIGHT
- DESIGNATED GARAGE LOCATION
- TOP OF KERB HEIGHT
- SPOT LEVEL
- PAD LEVEL
- ROAD LEVEL



CLARAVALE STAGE 1


SCALE 1:250




MNG. Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HIEGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARA VALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
 Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250

MNG Ref: 98917lip-012a Date: 04/04/2023
 Depicted information subject to approvals and survey. All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

- WATER
- WATER METER/ VALVE / HYDRANT
- SEWER
- DRAINAGE
- NBN CONNECTION
- POWER DOME - MINI PILLAR
- POWER DOME - UNIVERSAL PILLAR
- STREETLIGHTS
- PADMOUNT SITE
- RETAINING WALL & HEIGHT
- CANTILEVER RETAINING WALL & HEIGHT
- DESIGNATED GARAGE LOCATION
- TOP OF KERB HEIGHT
- SPOT LEVEL
- PAD LEVEL
- ROAD LEVEL



CLARAVALE STAGE 1


SCALE 1:250



MNG Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.


LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HIEGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1


SCALE 1:250




MNG Ref: 98917lip-012a Date: 04/04/2023
 Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		CANTILEVER RETAINING WALL & HEIGHT		ROAD LEVEL
	RETAINING WALL & HEIGHT				



CLARAVALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARVALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



**CLARAVALE
STAGE 1**




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
 Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

- | | | | | | |
|--|------------------------------|--|------------------------------------|--|----------------------------|
| | WATER | | POWER DOME - MINI PILLAR | | DESIGNATED GARAGE LOCATION |
| | WATER METER/ VALVE / HYDRANT | | POWER DOME - UNIVERSAL PILLAR | | TOP OF KERB HEIGHT |
| | SEWER | | STREETLIGHTS | | SPOT LEVEL |
| | DRAINAGE | | PADMOUNT SITE | | PAD LEVEL |
| | NBN CONNECTION | | CANTILEVER RETAINING WALL & HEIGHT | | ROAD LEVEL |



CLARVALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250


MNG. Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		CANTILEVER RETAINING WALL & HEIGHT		ROAD LEVEL
			RETAINING WALL & HEIGHT		



CLARVALE STAGE 1




SCALE 1:250


MNG. Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		CANTILEVER RETAINING WALL & HEIGHT		ROAD LEVEL



CLARAVALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
 Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1




SCALE 1:250


MNG Ref: 98917lip-012a Date: 04/04/2023
 Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

- | | | | | | |
|--|------------------------------|--|------------------------------------|--|----------------------------|
| | WATER | | POWER DOME - MINI PILLAR | | DESIGNATED GARAGE LOCATION |
| | WATER METER/ VALVE / HYDRANT | | POWER DOME - UNIVERSAL PILLAR | | TOP OF KERB HEIGHT |
| | SEWER | | STREETLIGHTS | | SPOT LEVEL |
| | DRAINAGE | | PADMOUNT SITE | | PAD LEVEL |
| | NBN CONNECTION | | RETAINING WALL & HEIGHT | | ROAD LEVEL |
| | | | CANTILEVER RETAINING WALL & HEIGHT | | |



CLARAVALE STAGE 1




SCALE 1:250


MNG. Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		RETAINING WALL & HEIGHT		ROAD LEVEL
			CANTILEVER RETAINING WALL & HEIGHT		



CLARAVALE STAGE 1



SCALE 1:250

MNG Ref: 98917lip-012a Date: 04/04/2023
Depicted information subject to approvals and survey.
 All dimensions and areas are subject to survey. The particulars on this brochure are supplied for Information only and shall not be taken as a representation in any respect on the part of the Vendor or its agent. Authorities should be consulted when services are contained within lot boundaries as building restrictions may apply. All retaining walls and associated easements are shown exaggerated for clarity.

LEGEND

	WATER		POWER DOME - MINI PILLAR		DESIGNATED GARAGE LOCATION
	WATER METER/ VALVE / HYDRANT		POWER DOME - UNIVERSAL PILLAR		TOP OF KERB HEIGHT
	SEWER		STREETLIGHTS		SPOT LEVEL
	DRAINAGE		PADMOUNT SITE		PAD LEVEL
	NBN CONNECTION		CANTILEVER RETAINING WALL & HEIGHT		ROAD LEVEL